

APPLICATION

The blocfor[™] 20 R 150kg with End System Dissipator (ESD) system ensures the user with an impact of less than 600 daN even with a fall where the cable has been completely unwound. The ESD system protects the cable against the risks of rupture or failure which can be caused by the sharp edges found on terrace roofs. blocfor[™] 20 R is equipped of safety winch EN 1496.

They can be fixed on the trapcode 150 kg with a specifically tractel[®] bracket.



TECHNICAL CHARACTERISTICS

- Plastic casing made of polyamide / ABS blend, anti-UV, highly resistant to shocks and ageing.
- A locking mechanism equipped with a double pawl reduces the pawl engage time in the toothed wheel of the brake.
- Compact size.
- Optimised ergonomics for easy grasping and handling.
- An device anchor point designed to receive large diameter connectors
- A cable equipped with the Tractel®'s ESD system which doubles as a fall indicator

DESIGNATION	HT	LG	TH	WEIGHT
blocfor™ 20 R G 47	900mm	276mm	118	7.6kg

DESCRIPTION

The main advantages of the blocfor™ 20 R ESD automatic fall arresters are:

- The integration of the ESD system at the end of the wire rope eliminates the risk of a violent impact in the event of a fall. Even when a fall occurs when the cable is fully unwound
- Easy to handle carry and install
- Simplified maintenance through an optimized design
- Safety winch with a capacity of 150 kg

NORMS

blocfor[™] R 150kg can be used vertically or horizontally (on terraces), with edges down to a minimum radius of 0.5mm without lanyard between the cable and the harness.

It complies with :

- EN360 & EN1496B standard
- CNB/P/11.060 : technical data sheet "use on terrace roof"
- CNB/P/11.062 : Fall arrest with a capacity of more than 100 kg

CODES

Product Description	Code
Blocfor™ 20R G M47 ESD 150kg	075492
Console de blocfor pour tracpode 150 kg	200368
Console de blocfor pour tracrode 150 kg	207108
Console de blocfor pour davitrac 150 kg	210138

www.tractel.com