


# tracmod

permanent powered platform



# tracmod *permanent powered platforms*





**Powered platforms** are the most popular solution for exterior building access in North America.

**SWINGSTAGE®** has been the leader in the design and provision of these systems for many years. Our extensive experience is reflected in the advanced features incorporated into our products.


The **TRACMOD** powered platform is fitted with the latest in **TIRAK®** hoisting systems, with all code-required safety features fully integrated. Extensive use of corrosion-resistant materials and robust construction ensures reliability and long life. Systems are available with 2-wire suspension or 4-wire suspension. The use of our patented modular platform concept allows the platform length to be adapted to suit various building modules.

**tracmod** assembly  
with fold-out end







1m (3') section




2m (6'-6") section



end stirrup



Intermediate stirrup



3m (10') section

P L A T F O R M  N O M I N A L  L E N G T H	Single Module					ASSEMBLY	Min. R/R = 0.5 O/A	Distance between ropes.....R/R Platform Overall Length.....O/A Platform Total Weight.....WT								
	Nom. Lg.	m	0.5	1.0	2.0			3.0	C-STIRRUP			END STIRRUP				
		ft	1'-9"	3'-0"	6'-5"			9'-8"	Lift	1 x	1 x 150	2 x 110	2 x 200	1 x 150	2 x 110	2 x 200
	Weight lb.								Ht.	1 x	1 x 429	2 x 360	2 x 656	1 x 429	2 x 360	2 x 656
2.0m (6'-6")				X		2	R/R	Ft	3'-4"			7'-8"				
							O/A	Ft	6'-5"			10 - 11"				
							WT	LB	942	1032	1465	748	838	1274		
3.0m (10'-0")					X	3	R/R	Ft	6'-8"			11'-0"				
							O/A	Ft	9'-8"			13'-3"				
							WT	LB	982	1074	1508	793	883	1319		
4.0m (13'-0")				XX		2 + 2	R/R	Ft	10'-0"			14'-0"				
							O/A	Ft	13'-0"			16'-4"				
							WT	LB	1039	1129	1565	845	935	1372		
5.0m (16'-0")				X	X	3 + 2	R/R	Ft	13'-4"			16'-1"				
							O/A	Ft	16'-4"			18'-4"				
							WT	LB	1084	1171	1607	890	980	1416		
6.0m (19'-6")					XX	3 + 3	R/R	Ft	16'-7"			19'-4"				
							O/A	Ft	19'-7"			21'-7"				
							WT	LB	1129	1219	1652	935	1025	1461		
7.0m (23'-0")			X		XX	3 + 1 + 3	R/R	Ft	19'-7"			22'-4"				
							O/A	Ft	22'-7"			24'-7"				
							WT	LB	1179	1269	1704	985	1075	1511		
8.0m (26'-0")				X	XX	3 + 2 + 3	R/R	Ft	23'-0"			25'-1"				
							O/A	Ft	26'-0"			27'-2"				
							WT	LB	1226	1316	1752	1032	1122	1558		
9.0m (29'-6")					XXX	3 + 3 + 3	R/R	Ft	26'-3"			30'-3"				
							O/A	Ft	29'-3"			32'-6"				
							WT	LB	1271	1361	1791	1077	1134	1603		
10.0m (33'-0")			X		XXX	3 + 1 + 3 + 3	R/R	Ft	29'-3"			7'-8"				
							O/A	Ft	32'-3"			10 - 11"				
							WT	LB	1321	1411	1845	1122	1185	1654		
11.0m (36'-0")				X	XXX	3 + 2 + 3 + 3	R/R	Ft	32'-7"			35'-4"				
							O/A	Ft	35'-8"			37'-7"				
							WT	LB	1368	1458	1889	1168	1232	1700		
12.0m (39'-0")					XXXX	3 + 3 + 3 + 3	R/R	Ft	35'-11"			39'-11"				
							O/A	Ft	38'-11"			42'-2"				
							WT	LB	1413	1503	1934	1213	1277	1745		
							WT	LB	425	521	931	425	521	931		

All weights include wire ropes & power cord

TOTAL:



# tracmod *permanent powered platforms*

## tracmod features:

- **Tirak hoists**
- *With reelers*
- *Key controls*
- *Emergency stop at each hoist.*
- *Upper travel limit*
- *Stage tilt switch*
- *Slack cable & overload protection*
- *Fire extinguisher*
- *Guides & rollers*
- *5/16" wire ropes*
- *Optional communication*
- *Optional water tanks*
- *Operating & maintenance manual*
- *110v. power receptacles*
- *Safety harnesses & rope grabs*
- *Manual winches*



*TRACTEL's North American SWINGSTAGE Division is a member of the international TRACTEL Group, the world leader in Building Maintenance Systems.*

*Single-source responsibility is the **TRACTEL** difference: in-house design, fabrication and installation by experienced professionals assures long-term system performance.*

*The **tracmod** powered platform is suitable for any type of suspension system - from traditional davits and sockets to monorail track with manual or powered trolleys.*

**Tractel Ltd.'s Swingstage Division has an office near you:**

### **TRACTEL Ltd., Swingstage Division**

1615 Warden Avenue,  
Scarborough, Ontario M1R 2T3  
**Tel: 416 298 8822**

#### **East**

Larry Lucks  
Larry@tractelswingstage.com  
**Tel: 518 864 5615**

#### **West**

Allen Kanarek  
Allen@tractelswingstage.com  
**Tel: 415 446 7232**

#### **North Central**

Craig Schoch  
Craig@tractelswingstage.com  
**Tel: 206 542 0300**

#### **Southeast**

Jason Bryant  
Jason@tractelswingstage.com  
**Tel: 904 463 1303**

#### **South West**

Mike Boyer  
mike@tractelswingstage.com  
**Tel: 281 829 6655**

