

travsafe™ P.O anchor 150kg

ref .: T 2181/EN révision: 00 date:04/2018

APPLICATIONS

The travsafeTM P.O 150 kg anchors are intended to have a personal fall protection system - for example a cable with a blocforTM fall prevention device - attached to them.





TECHNICAL CHARACTERISTICS

This anchor point is tested to stop the fall of two operators weighing 150 kg each; encompassing the weight of their equipment and tools.


In this case the travsafe™ P.O 150 kg anchors satisfy standard EN795 type A: 2012, anchor device. They allow to create an anchor point on a sufficiently resistant structure (> 12 kN if they are intended to safeguard one operator only; >13 kN if they are intended to safeguard two operators).

DESCRIPTION

- travsafeTM P.O 150 kg anchors are made of Stainless Steel 316L
- Weigth: 280g
- May be screwed directly to the metal structure of 12mm thickness
- May be screwed to the post mechanically in the hole threaded M12 on 12mm plate thickness
- travsafeTM P.O 150 kg anchor is delivered with a traceability label which permits to identify the device and to make an annual control



DIMENSIONS:



NORMS

P.O 150 kg anchors are certified according to European standards (the most stringent).

- EN795A / 2012
- CEN TS 16415 / 2013 for two users, each weighing up to 150 kg

CODES

Code	Description
196427	travsafe™ P.O 150 kg anchors